HARMONY.

Safety Data Sheet

Section 1: Identification of the Substance/Preparation and of the Company/Undertaking

Product Name: Gelish Structure Gel	SDS Pre	•	5/11/2016 6/27/2016
	Revision		01
Product Use: Cosmetics			
	Manufacture:		Nail Harmony Inc
roduct #:		1545 IVIO	onstone, Brea, CA 92821
100130	Emergency Phone	Number	(800) 535-5053
	Information Contac		(562) 623-4203

Section 2: Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.



• 1	May be slightly toxic.
• 1	May cause moderate skin injury (reddening & swelling).
• 1	May cause eye irritation

Potential Health Effects, Signs and Symptoms of Exposure:

Totential nearth Lifects, o	otential fleatin Effects, organs and symptoms of Exposure.				
Primary Route of Entry	No specific information available. Although, this product opposes only slight irritation concern with all routes of entry.				
Eye	No specific information available. Contains materials that are essentially nonirritating, but contact may cause slight transient irritation				
Skin	No specific information available. Contains materials that may cause moderate skin injury (reddening and swelling) and/or				
	sensitization. Prolonged contact may cause blister formation (burns). Since irritation may not occur immediately, contact can go				
	unnoticed.				
Ingestion	No specific information available. Contains materials that may be practically nontoxic.				
Inhalation	No specific information available. Low volatility makes vapor inhalation unlikely.				
NOTE: Refer to Section II, Toxicol	ogical Information for Details				

Section 3: Composition/Information on Ingredients

INCI NAME	CAS#	EINECS#	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
Di-HEMA Trimethylhexyl Dicarbamate	72869-86-4	276-957-5	N/E	N/E	Not Listed	55.0 - 75.0
Isobornyl methacrylate	7534-94-3	231-403-1	N/E	N/E	Not Listed	5.0 - 15.0
HEMA	868-77-9	212-782-2	N/E	N/E	Not Listed	5.0 - 10.0
Hydroxypropyl Methacrylate	27813-02-1	248-666-3	N/E	N/E	Not Listed	5.0 - 10.0
Trimethylolpropane Trimethacrylate	3290-92-4	221-950-4	N/E	N/E	Not Listed	5.0 - 10.0

N/E - None Established N/R - Not Reviewed	N/DA - No Data Available N/A - Not Applicable	* See section 16	
Di-Hema Trimethylhexyl Dicarbamate:	Hazard Symbol: Xi	Risk Phrases: R36/37/38	Safety Phrases: S14, S3/7, S62
HEMA:	Hazard Symbol: Xi	Risk Phrases: R36/38, R43	Safety Phrases: S2, S26, S28
Hydroxypropyl Methacrylate:	Hazard Symbol: Xi	Risk Phrases: R36//37/38, R43	Safety Phrases: S26, S36/37
Isobornyl Methacrylate	Hazard Symbol: Xi	Risk Phrases: R36/37/38	Safety Phrases: S26, S27,S28,S29,S30,S33,S35,S36
Trimethylolpropane Trimethacrylate	Hazard Symbol: Xi	Risk Phrases: R36/37/38	Safety Phrases: S26

See Section 16 for Risk and Safety Phrase Key

Section 4: First Aid Measures

First Aid for Eye	Flush with plenty of water for 15 minutes and retract eyelids often. Seek medical attention immediately.
First Aid for Skin	Remove contaminated clothing and wash contact area with soap and water for 15 minutes.
First Aid for Inhalation	In case of exposure to a high concentration of vapor or mist, remove person to fresh air. If breathing has stopped, administer
	artificial respiration and seek medical attention.
First Aid for Ingestion	If appreciable quantities are swallowed, seek medical attention.

Section 5: Fire Fighting Measures

Flash Point (°	F/ °C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)			
> 212°F / 100°C Setafl	ash estimated	No Data	No Data			
Method:						
Extinguishing Media:	Use carbon dioxid	e or dry chemical for small fires; aqueous foam or w	vater for large fires.			
Fire Fighting Instructions:	Remove all ignitio	n sources. Wear self-contained breathing apparatus	s and complete personal protective equipment when entering			
	confined areas wh	ere potential for exposure to vapors or products of o	combustion exists.			
Unusual Hazards:	High temperatures	and fire conditions may cause rapid and uncontroll	led polymerization which can result in explosions and the			
	violent rupture of	torage vessels or containers. Avoid the use of a str	ream of water to control fires since frothing can occur.			
Section 6: Accidental R	elease Measures					
Spill or Poloooo Broducore:	Spontopogua poly	morization can accur. Eliminate ignition acurada Uk	a ave and akin protection. Place leaking containers in a well			
Spill or Release Producers:		-	se eye and skin protection. Place leaking containers in a well			
			h inert solids (such as vermiculite, clay) and sweep/shovel			
			er solution; rinse with water, but minimize water use during			
			porting spills and releases to soil, water and air in excess of			
			tional Response Center is (800) 424-8802. EU Regulations			
	•		r regulatory requirements if necessary. Please prevent			
Section 7: Handling and	washings from en	ering waterways.				
Section 7: Handling and	i Storage					
Handling:	Avoid contact with	skin and eves. Avoid breathing vapor. Keep contain	ner closed when not in use. Avoid prolonged exposure to			
Harloning.		Avoid contact with skin and eyes. Avoid breathing vapor. Keep container closed when not in use. Avoid prolonged exposure to light. Remove all contaminated clothing, shoes, belts and other leather goods immediately. Incinerate leather goods (including				
	•		skin thoroughly with soap and water after handling. Solvents			
		d to clean skin because of increased penetration po				
		Most acrylic monomers have low viscosities, thus only needing room temperature conditions to facilitate proper pouring techniques.				
	However, viscous	type gels such as these may require heating to facil	litate proper pouring techniques. To ensure that this happens			
	product may be he	ated to 60°C/140°F for not more than 24 hours. Do	NOT use localized heat sources such as band heaters to			
	heat/melt product.	Do NOT use steam. Hot boxes or hot rooms are re	commended for heating/melting material. The hot box and/or			
	room should only	be set to a maximum temperature of 60°C/140F. Do	o not overheat, this may compromise product effectiveness			
	and should be ave	ided. Refrain from multiple reheating of product, this	s will also diminishing the quality of the product.			
Storage:	Product is extreme	ly light sensitive. If exposed to natural light, LED, U	JVA, UVB or UV any light, material will cure very quickly.			
	Store in a cool, dr	v place, away from heat and all types of light. Store a	at temperatures below 100°F/38°C but above			
	the product's freez	ting point. If no freezing point is given, keep above	32°F/0°C at all times.			
Explosion Hazard:	High temperatures	and fire conditions may cause rapid and uncontroll	led polymerization which can result in explosions and the			
	violent rupture of	storage vessels or containers.				
Section 8: Exposure Co						
Engineering Controls			m operations generating aerosols and hot operations			
	generating vapors					
Personal Protective Equipme						
General:	-		ents, it is recommended that a hazard assessment in accordance			
	with the OSHA PF	E Standard (29CFR1910.132), or European Standa	ard EN166 be conducted before using this product. Provide eye			
			nt ANY contact with this product, such as gloves, apron			
		dy suits. Nitrile rubber is better than PVC.				
Eye / Face Protection:	Wear chemical sp					
Skin Protection:	Wear impervious	gloves (Neoprene)				
Respiratory Protection:	A NIOSH/MSHA a	pproved air purifying respirator with an organic vapo	or cartridge or canister may be permissible under certain			
-			exceed exposure limits. Protection provided by nuisance			
	level organic vapo	r dust masks can be used, however the use of the r	respirator is limited. Follow OSHA respirator regulations			

Section 9: Physical and Chemical Properties

Appearance	Odor & Odor Threshold	рН	Specific Gravity	Viscosity	%Volatile
liquid	characteristic acrylate odor	NA	(H20=1): 1.15	N/DA	By Volume: <0.5

Boiling Point/Freezing Point	Decomposition Temperature	Octanol/Water Partitioning Coefficient Log Po/w	Vapor Pres	ssure:	Vapor Density	Evaporation Rate	Ignition	Solubility In Water	(20°C)
N/A	N/A	N/A	(mm Hg) @	20 C:<0.01	No Data	No Data	No Data	Insoluble	

Flash Point (°F/ °C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
> 212°F /100°C Setaflash estimated	No Data	No Data

Section 10: Stability and Reactivity

Stability	Incapability (Material to Avoid):
Normally Stable	Polymerization initiators including peroxides, strong oxidizing agents, copper, copper alloys, carbon steel, iron, rust
	and strong bases.
Hazardous Decomposition Products:	Hazardous Polymerization:
Fumes produced when heated to	May occur Uncontrolled polymerization may cause rapid evolution of heat and increased pressure that could
decomposition may include:	result in violent rupture of sealed storage vessels or containers.
carbon monoxide, carbon dioxide	
Conditions to Avoid:	
Storage>100°F/38°C, exposure to light, loss of	dissolved air, loss of polymerization, contamination with incompatible materials.

Section 11: Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - skin	Irritation - Eye		
No information available	No information available	No information available	No information available	No information available		
Since this product contains a very low concentration of active components, the primary toxicological information is derived from the oligomers.						
Further hazardous properties cannot be excluded. The product should be handled with care when dealing with chemicals.						

Sensitization		Mutagenicity	Sub-chronic Toxicity			
N/DA		N/DA	N/DA			
Section 12: Ecological Information						
Ecotoxicological Information						
Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria		
N/DA	N/DA	N/DA	N/DA	N/DA		

Chemical Fate Information

Biodegradability	N/DA	
Chemical Oxygen Demand	N/DA	

To the best of our knowledge, the ecotoxocological and chemical fate properties have not been thoroughly investigated.

Do not allow to enter drinking water supplies, wastewater, or soil.

Section 13: Disposal Considerations

Non-contaminated, properly inhibited product is not a RCRA hazardous waste. It is the generators responsibility to determine what is classified as a hazardous waste. Comply with all federal, state, and local regulations. Dispose of diking materials and absorbent in compliance with State, Local, and Federal regulations. Residual vapors may explode on ignition; do not cut, drill, or weld on or near the container. Mix with compatible chemical which is less flammable and incinerate.

Section 14: Transport Information

DOT (49 CFR 172) Proper Shipping Name: Identification Number: Marine Pollutant:		Not Regulated
Emergency Response Guidebook (ERG) #: IATA (DGR):	N/A	Not Regulated
Proper Shipping Name:		
Class or Division:		
UN or ID Number:		
Packaging Instructions:		
Emergency Response Guidance (ICAO)#:		Not Regulated

IMO (IMDG):

Proper Shipping Name: Class or Division: UN or ID Number:

Special Provisions & Stowage/Segregation:	None
Emergency Schedule (EmS)#:	
Other Information:	Flash Point >100 deg C.
Section 15: Regulatory Information	

US Federal Regulations

Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act:			
	NONE			
	This product contains no ODS's			
Clean Water Act: Priority Pollutant	This product contains no chemicals listed under the U.S. Clean Water Act Priority Pollutant List			
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other applications as an indirect			
	food additive.			
Occupational Safety and Health Act	This product is considered to be a hazardous chemical under the OSHA Hazard Communication Standard. Its hazard			
	are:			
	Immediate (acute) health hazard			
	Delayed (chronic) health hazard			
	Reactive hazard			
RCRA	This product is not considered to be a hazardous waste under RCRA (40 CFR 261)			
SARA Title III: Section 302 (TPQ)	NONE			
SARA Title III: Section 302 (RQ)	• NONE			
SARA Title III: Section 311-312:	This product is considered hazardous under the OSHA Hazard Communication Standard and is regulated under			
	Section 311-312 (40 CFR 370). Its hazards are:			
	Immediate (acute) health hazard			
	Delayed (chronic) health hazard			
	Reactive hazard			
SARA Title III: Section 313:	This product contains the following chemicals subject to the reporting requirements of Section 313 of Title III of the			
	Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:			
	NONE			
TSCA Section 8(b) Inventory:	This product contains chemicals listed on the TSCA inventory or otherwise complies with TSCA premanufacture			
	notification requirements.			
TSCA Significant New Use Rule:	None of the chemicals listed have a SNUR under TSCA.			
State Regulations	·			
CA Right-to-Know Law:	NONE			
California No Significant Risk Rule:	NONE			
MA Right-to-Know Law:	NONE			
NJ Right-to-Know Law:	NONE			
PA Right-to-Know Law:	NONE			
FL Right-to-Know Law:	NONE			
MN Right-to-Know Law:	NONE			
International Regulations				
CDSL: Canadian Inventory	Hydroxpropyl methacrylate CAS #27813-02-1 is on the DSL List. WHMIS = D2B			
(on Canadian Transitional List)	Hyroxycyclohexyl phenyl ketone CAS# 947-19-3 is on the DSL list. WHMIS - n/da			
	2-Hydroxyethyl methacrylate CASE# 868-77-9 is on the DSL List. WHMIS - n/da			
	Isobornyl Methacrylate CAS# 7534-94-3 is on the DSL list. WHMIS - n/da			
Labeling according to EC Directives - 199				
European Community:	HNH Base Gel:			
	HAZARD SYMBOLS: Xi irritant			
	 RISK PHRASES: R22: Harmful if swallowed, R36/38: Irritating to eyes and skin R43: May cause sensitization by skin contact. 			
	 SAFETY PHRASES: S18: Handle and open container with care, S24/25: avoid contact with skin and eyes, S36/37: 			
	Wear suitable protective clothing and gloves, S38: in case of insufficient ventilation, wear suitable respiratory			
•	equipment.			
l	lodalpulour.			

Section 16- Other Information

EU Classes and Risk / Safety Phrases for Referenced Ingredients (See Section 2):

Hazard Symbols:

Xi - Irritants, Xn Harmful

Risk Phrases:

R36/37/38 Irritating to eyes, respiratory system and skin; R36/38 Irritating to eyes and skin; R43 May cause sensitization by skin contact; R62 Possible risk of impaired fertility


Safety Phrases:

S2 Keep out of reach of children; S3/7 Keep container tightly closed in a cool place; S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice;S27 Take off immediately all contaminated clothing; S28 After contact with skin, wash immediately with plenty of water;

S29 Do not empty into drains; S30 Never add to this product; S33 Take precautionary measures against static discharges S35 This material and its container must be disposed of in a safe way. S36 Wear suitable protective clothing. S36/37 Wear suitable protective clothing & gloves. S14 Keep away from light and strong bases.

S62 If swallowed , do not induce vomiting: seek medical advice inmediately and show this container or label.

Hazard Rating System (Pictograms)



This information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If there are any problems or concerns understanding this MSDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at (1-800-535-5053).