

Safety Data Sheet

Section 1: Identification of the Substance/Prepare	ration and of the Company/Undertaking		
Product Name: ALL THAT JAZZ -Professional Na	il Lacquer	SDS Prepared: 1/25/20)18
Chemical Name: Nail Enamel		SDS Updated N/A	
		Revision 00	
Product Use: cosmetics			
Reference: ATJ12		Supplied By: All That	t Jazz
		Los An	geles, CA
Product #s:		Emergency Phone Num	ber: (800) 535-5053
40358		Information Contacts:	(714) 773-9758
Section 2: Hazards Identification			
GHS Classifications	GHS Label:		
Physical			
Flammable Liquids, Gatergory 2			



Harzard Statements

H224: Extremely flammable liquid and vapour.

Precautionary Statements

Prevention P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233: Keep container tightly closed.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response: P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Storage:

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

EMERGENCY OVERVIEW PHYSICAL APPEARANCE: IMMEDIATE CONCERNS:

POTENTIAL HEALTH EFFECTS	
EYES:	Mildly to moderately irritating
SKIN:	Mild skin irritant
SKIN ABSORPTION:	May cause dermatitis by defatting the skin from prolonged contact.
INGESTION:	Causes gastro-intestinal irritation, nausea, vomiting and diarrhea.
INHALATION:	 Prolonged inhalation may be harmful
	 Can cause drowsiness, headaches, nausea, vomiting and narcosis
	May cause lung irritation

Liquid . Highly Flammable

SIGNS AND SYMPTOMS OF OVEREXPOSURE	
EYES:	Overexposure in eyes may cause redness, itching and watering
SKIN:	Symptons of skin overexposure in some sensitive individuals may include redness, itching and irritation of affected area
SKIN ABSORPTION:	None known
INGESTION:	May cause irritation of the digestive track
INHALATION:	May cause drowsiness, dizziness, headaches and nausea
ACUTE TOXICITY:	
Eyes:	Mild to moderate irritation to eyes near affected area
Skin:	Mild to moderate irritation to skin near affected area
Inhalation:	High concentrations of vapors can cause drowsiness, dizziness, headaches and nausea
CHRONIC EFFECTS:	None known
CARCINOGENICITY:	Not classifiable as a human carcinogen by the IARC
MUTAGENICITY:	This product is not reported to produce mutagenic effects in humans
REPRODUCTIVE TOXICITY	
REPRODUCTIVE EFFECTS:	This produce is not reported to cause reproductive effects in humans
TERATOGENIC EFFECTS:	This product is not reported to produce Teratogenic effects in humans
MEDICAL CONDITIONS AGGRAVATED:	None known
ROUTES OF ENTRY:	Eye contact, Inhalation
TARGET ORGAN STATEMENT:	Eyes, skin and respiratory system

Section 3: Composition/Information on Ingredients

INCI Name	CAS#	EINECS#	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
Butyl Acetate	123-86-4	204-658-1	150ppm	150ppm	Not Listed	15.0 - 50.0
Ethyl Acetate	141-78-6	205-500-4	400ppm	400ppm	Not Listed	15.0 - 50.0
Alcohol Denat	64-17-5	200-578-6	1000 ppm	1000 ppm	Not Listed	5.0 - 15.0
Nitrocellulose	9004-70-0	N/A	N/E	N/E	Not Listed	5.0 - 15.0

Isopropyl Alcohol	67-63-0	200-661-7	400 ppm	200 ppm	Not Listed	1.0 - 15.0
Triphenyl Phosphate	115-86-6	204-112-2	N/E	N/E	Not Listed	1.0 - 10.0
Ethyl Acetate	Hazard Symbol: F	F, Xi	Risk Phrases: R11, R36, R66, R67		Safety Phrases: S2, S16, S2	6, S33
Butyl Acetate	Hazard Symbol: F	-	Risk Phrases: R10, R66, R67		Safety Phrases: S2, S25	
Nitrocellulose	Hazard Symbol: F	-	Risk Phrases: R11		Safety Phrases: S2, S16, S3	3, S37/39
Alcohol Denat.	Hazard Symbol: F	-	Risk Phrases: R11		Safety Phrases: S2, S7, S16	i
Isopropyl Alcohol:	Hazard Symbols:	F. Xi	Risk Phrases: R11, R36, R67		Safety Phrases: S2, S7, S1	6, S24/25, S26
Triphenyl Phosphate	Hazard Symbol: >	٢n	Risk Phrases: R50, 53		Safety Phrases: S60, S61	
N/E - None Established	N/DA - No Data Available		* See section 16			
N/R - Not Reviewed	N/A - Not Applicable					
Section 4: First Aid Measures						
First Aid for Eye	Irrigate with copic	ous amount of sterile	water. If irritation occurs, seek medical attention imr	nediately.		
First Aid for Skin	Wash off with propriety remover, wash affected area with soap and water					
First Aid for Inhalation	Remove person t	o fresh air. Seek meo	lical attention			
First Aid for Ingestion	Do not induce vo	Do not induce vomiting. SEEK IMMEDIATE MEDICAL ATTENTION				
Section 5: Fire Fighting Measures	i					
Flash Point (°F/ °C)		Flammable Limit (vol%)		Auto-ignition Tempe	rature (vol%)
24°F / -4°C Estimate	d		No Data		No Data	

WARNING: Highly Flammable. Keep away from heat, and any sources of ignition. Keep containers closed					
WARNING: Highly Flammable. Keep away from	neat, and any sources or ignition. Keep containers closed				
Method:					
Extinguishing Media:	Use carbon dioxide, foam or dry chemical for small fires;				
	Water or foam extinguishers, water fog for large fires				
Fire Fighting Instructions:	Remove all ignition sources. Wear self-contained breathing apparatus and complete personal protective equipment when entering				
	confined areas where potential for exposure to vapors or products of combustion exists.				

Section 6: Accidental Release Measures

Spill:	Before cleaning any spills or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.	
	Dike and contain spill with inert material (e.g. sand or earth). Use ONLY non sparking tools for recovery and clean-up. Transfer liquid to containers	
	for recovery or disposal and solid diking material to separated containers for proper disposal. Remove contaminated clothing promptly and wash	
	affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.	
	US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of	
	reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802. EU Regulations	
	require the consultation of Directive 98/24/EC. Dispose and report per regulatory requirements if necessary. Please prevent	
	washings from entering waterways.	
Section 7: Handling and	d Storage	

Handling: No smoking Prevent static discharges Exposure by inhalation or skin contact should be minimized by good industrial hygiene Vapor is heavier than air, spreads along the ground. Vapor can form an explosive mixture in air, prevalent in empty unclear vessels Use non-sparking utensils when handling this material Storage: Keep containers tightly closed when not in use. Store in a cool, dry place, away from heat and all types of light. Eliminate possible point ignition sources, e.g. No smoking, Naked flames, static discharges Use flame proof electrical equipment. Special precautions Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers may contain residual amounts of this product; therefore, empty containers should be handle with care Section 8: Exposure Controls / Personal Protection

Engineering Controls	When working with large quantities of product, provide adequate ventilation. Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes.
Personal Protective Equipment General:	No special body protection is required under typical circumstances of use and handling. If necessary refer to appropriate standards of Canada, The E.C members states, or U.S. OHSA.
Eye / Face Protection: Skin Protection: Respiratory Protection:	Depending on the use of this product , splash or safety glasses may be worn. If anticipated that prolonged and repeated skin contact will occur during use of this product, wear latex or gloves for routine industrial use. No special respiratory protection is required under typical circumstances of use or handling. If necessary, use respiratory protection.

Section 9: Physical and Chemical Properties

Appearance	Odor & C	dor Threshold	рН	Specific Gravity	Viscosity		Vapor Density
viscous liquid, various colors	characteri	stic acrylate odor	NA	(H20=1): 0.97 - 1.10	.97 - 1.10 N/DA		Heavier than air
Boiling Point/Freezing Point	Decomposition Temperature	Octanol/Water Partitioning Coefficient Log Po/w	Vapor Pressure:	Evaporation Rate	Ignition	Solubili	ty In Water (20°C)
Undefined	N/A	N/A	N/A	No Data	No Data		Insoluble

Flash Point (°F/ °C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
24°F / -4°C Estimated	No Data	No Data

Section 10: Stability and Reactivity

h	
Stability:	Incapability (Material to Avoid):
Stable under ambient conditions when stored properly.	Polymerization initiators including peroxides, strong oxidizing agents, copper, copper alloys, carbon steel, iron, rust
	and strong bases.
Hazardous Decomposition Products: If	Hazardous Polymerization:
expose to extremely high temperatures, the product of thermal decomposition may include irritating vapors and carbon oxide gases. (e.g. CO. CO2)	May occur, if exposed to extremely high temperatures.

Conditions to Avoid:

This product is incompatible with strong oxidizers, strong acids, or strong bases.

Section 11: Toxicological Information

This product has NOT been tested on animals to obtain toxicology data. There are toxicology data for the components of the product, which are found in scientific literature. This data has not been represented in this document

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - skin/eyes
No info available	No info available	No info available	No info available

Further hazardous properties cannot be excluded. The product should be handled with care when dealing with chemicals.

Suspected Carcinogen	Mutagenicity	Sub-chronic Toxicity
No info available	This product is not reported to produce mutagenic effects in humans	No info available

Section 12: Ecological Information

Ecotoxicological	Information

Acute Toxicity to aquatic life	Acute Toxicity to plants and animals	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
No Information Available	No Information Available	No Information Available	No Information Available	No Information Available

Environmental Stability:

The components of this product will slowly degrade over time into a variety of organic compounds. Specific environmental data available for the components of this product are as follows

Ethyl Acetate:	Koc= 0.73. Water Solubility: 64,000 mg/l. Bioconcentration Factor= 4-14. Biocincentration is not anticipated to be significant. This compound can be removed from contaminated environments from volatilization, and biodegradation. This compound's half-life in water is 6.1 hours.	
Butyl Acetate:	Koc= 1.8. Water Solubility: 120 Parts H2O at 25°C (77°F). Bioconcentration Factor= 4-14. Biocincentration is not anticipated to be significant. This compound can be removed from contaminated environments from volatilization, and biodegradation. This compound's half-life in water is 6.1 hours.	
Isopropyl Alcohol:	Low Kow= 0.05-0.14. Isopropyl alcohol occurs naturally; it is generated during microbial degradation pf plant and animal wastes. When released on land or water, it is apt to volatilize and biodegrade. The estimated half-life in water is 5.4 days, Isopropyl alcohol is not expected to bioconcentrate.	
Chemical Fate Information		
Biodegradability	No Information Available	
Chemical Oxygen Demand	No Information Available	

To the best of our knowledge, the ecotoxocological and chemical fate properties have not been thoroughly investigated. Do not allow to enter drinking water supplies, wastewater, or soil.

Section 13: Disposal Considerations

Waste disposal must be in accordance with appropriate Federal, State and local regulations.

Section 14: Transport Information

DOT (49 CFR -GND)

Excepted Quantity (49 CFR -173.4a) (\leq 30 ml) Consumer Commodity, ORM-D (\leq 1.0 L) UN1263 Paint ,3,II (>1.0 L)

IATA (AIR):

Excepted Quantity (Air Shipper 4.1.2) (\leq 30 ml) Consumer Commodity,9, ID8000 (\leq 0.5 L) UN1263 Paint ,3,II (> 0.5 L)

IMDG (OCN):

Excepted Quantity (2008 IMO -3.5.1)) (\leq 30 ml) UN1263 Paint ,3,II LTD QTY(\leq 1.0 L) UN1263 Paint ,3,II (> 1.0 L)

TDGR (Canadian GND):

Mark Package "Limited Quantity" or "Quantite Limitee" or "LTD QTY" or "Quant Ltee" (\leq 1.0 L) UN1263, Paint related material, 3, II, (>1.0 L)

ADR/RID (EU):

UN 1263, Paint Related Material, 3, II, ADR

MEXICO (SCT):

UN1263, Pintura,3,II, Cantidad Limitada (< 1.0 L)

Section 15: Regulatory Information

US Endoral Pagulations

US Federal Regulations		
Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act:	
	NONE	
	This product does not contain any Class I or Class 2 ODS	
Clean Water Act: Priority Pollutant	This product contains the following Hazardous Substances as defined by the CWA:	
	NONE	
	This product does not contain any substances that are a Priority Pollutant or Toxic Pollutant under the CWA	
FDA:	This product complies with the appropriated sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics)	
SARA Reporting Requirements:	SARA 304 (40 CFR Table 302.4)- Butyl Acetate, Ethyl Acetate	
SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.	
TSCA Inventory Status:	This product contains chemicals listed on the TSCA inventory	
CERCLA Reportable Quantity (RQ):	Butyl Acetate: 5000 lbs.; Ethyl Acetate: 5000 lbs.	

State Regulations:

Ingredients in this mixture are found on the following state criteria list:

CA Right-to-Know Law:	Ethyl Acetate, Butyl Acetate, Isopropyl Alcohol
Delaware Air Quality Management List	Ethyl Acetate, Butyl Acetate, Nitrocellulose
Massachusetts Hazardous Substances List	Ethyl Acetate, Butyl Acetate, Nitrocellulose, Isopropyl Alcohol, Triphenyl Phosphate.
Minnesota Hazardous Substances List	Ethyl Acetate, Butyl Acetate, Isopropyl Alcohol, Triphenyl Phosphate.
NJ Right-to-Know Law:	Isopropyl Alcohol
New York List of Hazardous Substances	Ethyl Acetate, Butyl Acetate
PA Right-to-Know Law:	Ethyl Acetate, Butyl Acetate, Isopropyl Alcohol, Triphenyl Phosphate.
Washington Permissible Exposure Limits for Air Contaminants	Ethyl Acetate, Butyl Acetate, Isopropyl Alcohol, Triphenyl Phosphate.
Wisconsin Hazardous Substances List	Ethyl Acetate

International Regulations:

Canadian Regulations:

Ethyl Acetate CAS# 141-78-6 is on the DSL list.WHMIS= B2,D2B

Butyl Acetate CAS # 123-86-4 is on the list. WHMIS + B2, D1B, D2B

This product has been classify according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL.

None of the components of this product are listed on the Priorities substances List. Class B Flammable Liquid.

Section 16: Other Information

67/548/EU Requirements:

European Community:

The primary component of this product is listed in Annex I of the EU Directive 67/548/EEC



EU Classes and Risk / Safety Phrases : HAZARDOUS SYMBOLS:

- HAZARDOUS SYMBOLS:
- Xi Irritants
- F Highly Flammable

Xn- Harmful • RISK PHRASES:

R10 Flammable

- R11 Highly Flammable
- R36 Irritating to eyes R50 Very toxic to aquatic organisms
- R53 May cause long-term adverse effects in the aquatic environment
- R66 Repeated exposure may cause skin dryness or cracking R67 Vapors may cause drowsiness and dizziness

• SAFETY PHRASES:

S2 Keep out of reach of children

- S7 Keep container tightly closed
- S16 Keep away from sources of ignition-No Smoking,
- S24/25 Avoid contact with skin and eyes
- S25 Avoid contact with eyes


S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

S33 Take precautionary measures against static discharges

S37/39 Wear suitable gloves and eye/face protection

S60 This material and its container must be disposed of as hazardous waste.

S61 Avoid release to the envronment. Refer to special instructions/Safety data sheets.



This information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If there are any problems or concerns understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at (1-800-535-5053).