

# Safety Data Sheet

Section 1: Identification of the Section	ubstance/Preparation and of the Company/Undertaking

Product Name: ALL THAT JAZZ -Professional Nail Lacquer Chemical Name: Nail Enamel

Product Use: cosmetics Reference: Sheet 17

**GHS Classifications** 

Flammable Liquids, Gatergory 2

SDS Prepared: 1/25/2018 SDS Updated: N/A Revision 00 Supplied by: All That Jazz

Los Angeles, CA

Emergency Phone Number: (800) 535-5053 (714) 773-9758 Information Contacts:



Physical

## Section 2: Hazards Identification

GHS Label:



## Harzard Statements

H224: Extremely flammable liquid and vapour.

### **Precautionary Statements**

#### Prevention

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P233: Keep container tightly closed.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Storage:

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

EMERGENCY OVERVIEW PHYSICAL APPEARANCE: IMMEDIATE CONCERNS:	Liquid Highly Flammable
POTENTIAL HEALTH EFFECTS EYES: SKIN: SKIN ABSORPTION: INGESTION: INHALATION:	Mildly to moderately irritating Mild skin irritant May cause dermatitis by defatting the skin from prolonged contact. Causes gastro-intestinal irritation, nausea, vomiting and diarrhea. • Prolonged inhalation may be harmful • Can cause drowsiness, headaches, nausea, vomiting and narcosis • May cause lung irritation
SIGNS AND SYMPTOMS OF OVEREXPOSURE EYES: SKIN: SKIN ABSORPTION: INGESTION: INHALATION:	Overexposure in eyes may cause redness, itching and watering Symptons of skin overexposure in some sensitive individuals may include redness, itching and irritation of affected area None known May cause irritation of the digestive track May cause drowsiness, dizziness, headaches and nausea
ACUTE TOXICITY: Eyes: Skin: Inhalation:	Mild to moderate irritation to eyes near affected area Mild to moderate irritation to skin near affected area High concentrations of vapors can cause drowsiness, dizziness, headaches and nausea
CHRONIC EFFECTS: CARCINOGENICITY: MUTAGENICITY:	None known Not classifiable as a human carcinogen by the IARC This product is not reported to produce mutagenic effects in humans
REPRODUCTIVE TOXICITY REPRODUCTIVE EFFECTS: TERATOGENIC EFFECTS:	This produce is not reported to cause reproductive effects in humans This product is not reported to produce Teratogenic effects in humans
MEDICAL CONDITIONS AGGRAVATED: ROUTES OF ENTRY: TARGET ORGAN STATEMENT:	None known Eye contact, Inhalation Eyes, skin and respiratory system

# Section 3: Composition/Information on Ingredients

INCI Name	CAS#	EINECS#	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
Butyl Acetate	123-86-4	204-658-1	150ppm	150ppm	Not Listed	20.0 - 40.0
Ethyl Acetate	141-78-6	205-500-4	400ppm	400ppm	Not Listed	15.0 - 25.0
Nitrocellulose	9004-70-0	N/A	N/E	N/E	Not Listed	1.0 - 15.0
Isopropyl Alcohol	67-63-0	200-661-7	400 ppm	200 ppm	Not Listed	1.0 - 10.0

Ethyl Acetate	Hazard Symbol: F, Xi	Risk Phrases: R11, R36, R66, R67	Safety Phrases: S2, S16, S26, S33
Butyl Acetate	Hazard Symbol: F	Risk Phrases: R10, R66, R67	Safety Phrases: S2, S25
Nitrocellulose	Hazard Symbol: F	Risk Phrases: R11	Safety Phrases: S2, S16, S33, S37/39
Isopropyl Alcohol:	Hazard Symbols: F. Xi	Risk Phrases: R11, R36, R67	Safety Phrases: S2, S7, S16, S24/25, S26
N/E - None Established	N/DA - No Data Available	* See section 16	
N/R - Not Reviewed	N/A - Not Applicable		
Section 4: First Aid Measures	5		
Section 4. Thist Alu Measure.	5		
First Aid for Eye		e water. If irritation occurs, seek medical attention immedia	ately.
			ately.
First Aid for Eye	Irrigate with copious amount of sterile	sh affected area with soap and water	ately.
First Aid for Eye First Aid for Skin	Irrigate with copious amount of sterile Wash off with propriety remover, was	sh affected area with soap and water edical attention	ately.
First Aid for Eye First Aid for Skin First Aid for Inhalation	Irrigate with copious amount of sterile Wash off with propriety remover, was Remove person to fresh air. Seek me Do not induce vomiting. SEEK IMME	sh affected area with soap and water edical attention	ately.
First Aid for Eye First Aid for Skin First Aid for Inhalation First Aid for Ingestion	Irrigate with copious amount of sterile Wash off with propriety remover, was Remove person to fresh air. Seek me Do not induce vomiting. SEEK IMME sures	sh affected area with soap and water edical attention	ately. Auto-ignition Temperature (vol%)

Method:	
Extinguishing Media:	Use carbon dioxide, foam or dry chemical for small fires;
	Water or foam extinguishers, water fog for large fires
Fire Fighting Instructions:	Remove all ignition sources. Wear self-contained breathing apparatus and complete personal protective equipment when entering
	confined areas where potential for exposure to vapors or products of combustion exists.

# Section 6: Accidental Release Measures

Spill:	Before cleaning any spills or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.
	Dike and contain spill with inert material (e.g. sand or earth). Use ONLY non sparking tools for recovery and clean-up. Transfer liquid to containers
	for recovery or disposal and solid diking material to separated containers for proper disposal. Remove contaminated clothing promptly and wash
	affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.
	US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of
	reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802. EU Regulations
	require the consultation of Directive 98/24/EC. Dispose and report per regulatory requirements if necessary. Please prevent
	washings from entering waterways.

# Section 7: Handling and Storage

ection 8: Exposure Contr	ols / Personal Protection
	therefore, empty containers should be handle with care
Special precautions	Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers may contain residual amounts of this product;
	Use flame proof electrical equipment.
	Eliminate possible point ignition sources, e.g. No smoking, Naked flames, static discharges
	Store in a cool, dry place, away from heat and all types of light.
Storage:	Keep containers tightly closed when not in use.
	Use non-sparking utensils when handling this material
	Vapor can form an explosive mixture in air, prevalent in empty unclear vessels
	Vapor is heavier than air, spreads along the ground.
	Exposure by inhalation or skin contact should be minimized by good industrial hygiene
	Prevent static discharges
Handling:	No smoking

Engineering Controls	When working with large quantities of product, provide adequate ventilation. Ensure that an eyewash station, sink or washbasin
	is available in case of exposure to eyes.
Personal Protective Equipment	
General:	No special body protection is required under typical circumstances of use and handling. If necessary refer to appropriate standards of Canada, The E.C members states, or U.S.
	OHSA.
Eye / Face Protection:	Depending on the use of this product, splash or safety glasses may be worn.
Skin Protection:	If anticipated that prolonged and repeated skin contact will occur during use of this product, wear latex or gloves for routine industrial use.
Respiratory Protection:	No special respiratory protection is required under typical circumstances of use or handling. If necessary, use respiratory protection.
Skin Protection:	If anticipated that prolonged and repeated skin contact will occur during use of this product, wear latex or gloves for routine industrial use.

# Section 9: Physical and Chemical Properties

Appearance	Odor & (	Odor Threshold	рН	Specific Gravity	Vis	cosity Vapor Density
viscous liquid, various colors	character	istic acrylate odor	NA	(H20=1): 0.97 - 1.10	Ν	I/DA Heavier than
Boiling Point/Freezing Point	Decomposition Temperature	Octanol/Water Partitioning Coefficient Log Po/w	Vapor Pressure:	Evaporation Rate	Ignition	Solubility In Water (20°C)
Undefined	N/A	N/A	N/A	No Data	No Data	Insoluble
Flash Point ( °F/ °C)	Flash Point ( °F/ °C) Flammable Limit (vol%) Auto-ig		nition Tempe	rature (vol%)		
24°F / -4°C Estimated			No Data	No Data		

# Section 10: Stability and Reactivity

Stability:	Incapability (Material to Avoid):	
Stable under ambient conditions when stored properly.	Polymerization initiators including peroxides, strong oxidizing agents, copper, copper alloys, carbon steel, iron, rust	
	and strong bases.	
and a substantial bight to see a set on a start way do not of the second	Hazardous Polymerization: May occur, if exposed to extremely high temperatures.	
Conditions to Avoid: This product is incompatible with strong oxidizers, strong acids, or s	trong bases.	

#### Section 11: Toxicological Information

This product has NOT been tested on animals to obtain toxicology data. There are toxicology data for the components of the product, which are found in scientific literature. This data has not been represented in

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - skin/eyes
No info available	No info available	No info available	No info available

Further hazardous properties cannot be excluded. The product should be handled with care when dealing with chemicals.

Suspected Carcinogen	Mutagenicity	Sub-chronic Toxicity
No info available	This product is not reported to produce mutagenic effects in humans	No info available

# Section 12: Ecological Information

Ecotoxicological Information					
Acute Toxicity to aquatic life	Acute Toxicity to plants and animals	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria	
No Information Available	No Information Available	No Information Available	No Information Available	No Information Available	

#### Environmental Stability:

The components of this product will slowly degrade over time into a variety of organic compounds. Specific environmental data available for the components of this product are as follows

	Koc= 0.73. Water Solubility: 64,000 mg/l. Bioconcentration Factor= 4-14. Biocincentration is not anticipated to be significant. This compound can be removed from contaminated environments from volatilization, and biodegradation. This compound's half-life in water is 6.1 hours.	
	Koc= 1.8. Water Solubility: 120 Parts H2O at 25°C (77°F). Bioconcentration Factor= 4-14. Biocincentration is not anticipated to be significant. This compound can be removed from contaminated environments from volatilization, and biodegradation. This compound's half-life in water is 6.1 hours.	
	Low Kow= 0.05-0.14. Isopropyl alcohol occurs naturally; it is generated during microbial degradation pf plant and animal wastes. When released on land or water, it is apt to volatilize and biodegrade. The estimated half-life in water is 5.4 days, Isopropyl alcohol is not expected to bioconcentrate.	
Chemical Fate Information		
Biodegradability	No Information Available	
Chemical Oxygen Demand	No Information Available	

To the best of our knowledge, the ecotoxocological and chemical fate properties have not been thoroughly investigated.

Do not allow to enter drinking water supplies, wastewater, or soil.

#### Section 13: Disposal Considerations

Waste disposal must be in accordance with appropriate Federal, State and local regulations.

## Section 14: Transport Information

#### DOT (49 CFR -GND)

Excepted Quantity ( 49 CFR -173.4a) ( $\leq$  30 ml) Consumer Commodity, ORM-D ( $\leq$  1.0 L) UN1263 Paint ,3,II (>1.0 L)

#### IATA (AIR):

Excepted Quantity (Air Shipper 4.1.2) ( $\leq$  30 ml) Consumer Commodity,9, ID8000 ( $\leq$  0.5 L) UN1263 Paint ,3,II (> 0.5 L)

#### IMDG (OCN):

Excepted Quantity (2008 IMO -3.5.1)) (≤ 30 ml) UN1263 Paint ,3,II LTD QTY(≤ 1.0 L) UN1263 Paint ,3,II (> 1.0 L)

### TDGR (Canadian GND):

Mark Package "Limited Quantity" or "Quantite Limitee" or "LTD QTY" or "Quant Ltee" ( $\leq$  1.0 L) UN1263, Paint related material, 3, II, (>1.0 L)

## ADR/RID (EU):

UN 1263, Paint Related Material,3,II,ADR

MEXICO (SCT): UN1263, Pintura,3,II, Cantidad Limitada (≤ 1.0 L)

**ADGR(AUS):** UN1263, Paint, 3, II LTD QTY (≤ 1.0L)

#### US Federal Regulations

Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act:	
	NONE	
	This product does not contain any Class I or Class 2 ODS	
Clean Water Act: Priority Pollutant	This product contains the following Hazardous Substances as defined by the CWA:	
	NONE	
	This product does not contain any substances that are a Priority Pollutant or Toxic Pollutant under the CWA	
FDA:	This product complies with the appropriated sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics)	
SARA Reporting Requirements:	SARA 304 (40 CFR Table 302.4)- Butyl Acetate, Ethyl Acetate	
SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.	
TSCA Inventory Status:	This product contains chemicals listed on the TSCA inventory	
CERCLA Reportable Quantity (RQ):	Butyl Acetate: 5000 lbs.; Ethyl Acetate: 5000 lbs.	

## State Regulations:

Ingredients in this mixture are found on the following state criteria list:		
CA Right-to-Know Law:	Ethyl Acetate, Butyl Acetate, Isopropyl Alcohol	
Delaware Air Quality Management List	Ethyl Acetate, Butyl Acetate, Nitrocellulose	
Massachusetts Hazardous Substances List	Ethyl Acetate, Butyl Acetate, Nitrocellulose, Isopropyl Alcohol	
Minnesota Hazardous Substances List	Ethyl Acetate, Butyl Acetate, Isopropyl Alcohol	
NJ Right-to-Know Law:	Isopropyl Alcohol	
New York List of Hazardous Substances	Ethyl Acetate, Butyl Acetate	
PA Right-to-Know Law:	Ethyl Acetate, Butyl Acetate, Isopropyl Alcohol	
Washington Permissible Exposure Limits for Air Contaminants	Ethyl Acetate, Butyl Acetate, Isopropyl Alcohol	
Wisconsin Hazardous Substances List	Ethyl Acetate	

## International Regulations:

Canadian Regulations:

Ethyl Acetate CAS# 141-78-6 is on the DSL list.WHMIS= B2,D2B

Butyl Acetate CAS # 123-86-4 is on the list. WHMIS + B2, D1B, D2B

This product has been classify according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities substances List. Class B Flammable Liquid.


#### Section 16: Other Information

## 67/548/EU Requirements:

European Community: The primary component of this product is listed in Annex I of the EU Directive 67/548/EEC



EU Classes and Risk / Safety Phrases : HAZARDOUS SYMBOLS: HAZARDOUS SYMBOLS: Xi - Irritants F - Highly Flammable RISK PHRASES: R11 Highly Flammable R36 Irritating to eyes R36/37/38 Irritating to eyes, respiratory system and skin R66 Repeated exposure may cause skin dryness or cracking R67 Vapors may cause drowsiness and dizziness SAFETY PHRASES: S2 Keep out of reach of children S7 Keep container tightly closed S16 Keep away from sources of ignition-No Smoking, S24/25 Avoid contact with skin and eyes S25 Avoid contact with eyes S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice S33 Take precautionary measures against static discharges S37/39 Wear suitable gloves and eye/face protection



This information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If there are any problems or concerns understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at (1-800-535-5053).