HARMONY.

Safety Data Sheet

Section 1: Identification of the Substance/Preparation and of the Company/Und	lertaking		
Product Name: Gelish Soak Off Gel Polish	SDS Prepared:	8/19/2016	
	SDS Updated:	10/20/2016	
	Revision:	01	
Product Use: Cosmetics			
Reference: Sheet 50	Manufacturer:	Hand & Nail H	armony Inc
		1545 Moonsto	ne Brea, CA 92821
Product #s:	Emergency Ph	one Number:	(800) 535-5053
1110253, 1110266	Information Co		(714) 773-9758

Section 2: Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

May be slightly toxic.

May cause moderate skin injury (reddening & swelling).
May cause eye irritation

Potential Health Effects, Signs and Symptoms of Exposure:

Eye Skin Ingestion Inhalation Irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering May be irritating to skin in some individuals, especially after prolonged and/or repeated contact If product is swallowed, may cause nausea, vomiting, and/or diarrhea Vapors of this product may be slightly irritating to the nose, throat and other tissue of the respiratory system. Systems of overexposure can include coughing ,wheezing, nasal congestion, and difficulty breathing.

NOTE: Refer to Section II, Toxicological Information for Details

Section 3: Composition/Information on Ingredients

INCI Name	CAS#	EINECS#	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
Di-HEMA Trimethylhexyl Dicarbamate	72869-86-4	276-957-5	N/E	N/E	Not Listed	25.0 - 45.0
Hydroxypropyl Methacylate	27813-02-1	N/A	N/E	N/E	Not Listed	15.0 - 35.0
Isobornyl Methacrylate	7534-94-3	231-403-1	N/E	N/E	Not Listed	5.0 - 20.0
HEMA	868-77-9	212-782-2	N/E	N/E	Not Listed	1.0 - 10.0
Trimethylolpropane Trimethacrylate	3290-92-4	221-950-4	N/E	N/E	Not Listed	1.0 - 10.0

N/E - None Established N/R - Not Reviewed	N/DA - No Data Available N/A - Not Applicable		
Di-Hema Trimethylhexyl Dicarbamate	Hazard Symbol: Xi	Risk Phrases: R36/37/38	Safety Phrases: S14, S3/7, S62
Hydroxypropyl Methacrylate:	Hazard Symbol: Xi	Risk Phrases: R36/37/38, R43	Safety Phrases: S26, S36/37
sobornyl Methacrylate:	Hazard Symbol: Xi	Risk Phrases: R36/37/38	Safety Phrases: S26,S27,S28,S29,S30,S33,S35,S36
HEMA	Hazard Symbol: Xi	Risk Phrases: R36/38, R43	Safety Phrases: S2, S26, S28
Frimethylolpropane Trimethacrylate	Hazard Symbol: Xi	Risk Phrases: R36/37/38	Safety Phrases: S26, S36

See Section 16 for Risk and Safety Phrase Key

Section 4: First Aid Measures

Splashes are not likely, however, if product gets into the eyes, flush with plenty of water for at least 15 minutes.
If irritation occurs, seek medical attention immediately.
Remove contaminated clothing and wash contact area with soap and water for 15 minutes.
In case of exposure to a high concentration of vapor or mist, remove person to fresh air. If breathing has stopped, administer
artificial respiration and seek medical attention.
If appreciable quantities are swallowed, seek medical attention.

Section 5: Fire Fighting Measures

Flash Point (°F/ °C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
>212°F/100°C	No Data	No Data

Method:

WARNING: Flammable. Keep away from	VARNING: Flammable. Keep away from heat, lit cigarettes, sparks & open flame .Keep containers closed				
Extinguishing Media:	Use carbon dioxide or dry chemical for small fires; aqueous foam or water for large fires.				
Fire Fighting Instructions:	Remove all ignition sources. Wear self-contained breathing apparatus and complete personal protective equipment when entering				
	confined areas where potential for exposure to vapors or products of combustion exists.				

Dike and co	aning any spills or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. ontain spill with inert material (e.g. sand or earth). Use ONLY non sparking tools for recovery and clean-up. Transfer liquid to containers
for recove	
	ry or disposal and solid diking material to separated containers for proper disposal. Remove contaminated clothing promptly and wash
	in areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.
US Regula	ations (CERCLA) require reporting spills and releases to soil, water and air in excess of
reportable	quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802. EU Regulations
require the	consultation of Directive 98/24/EC. Dispose and report per regulatory requirements if necessary. Please prevent
washings fi	rom entering waterways.
Section 7: Handling and Storage	
Handling: Keep conta	ainer closed when not in use. Avoid prolong contact with the product. Avoid breathing vapors of this product.
Use in a w	ell ventilated location.
Storage: Product is o	extremely light sensitive. If exposed to natural light, LED, UVA, UVB or UV any light, material will cure very quickly.
Store in a c	cool, dry place, away from heat and all types of light.
Store away	/ from incompatible materials
Section 8: Exposure Controls / Personal Prote	ection
Engineering Controls When work	king with large quantities of product, provide adequate ventilation. Ensure that an eyewash station, sink or washbasin
	e in case of exposure to eyes.
Personal Protective Equipment	
	additional Personal protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance
	SHA PPE Standard (29CFR1910.132), or European Standard EN166 be conducted before using this product. Provide eye
	ons and safety showers. Wear impervious clothing to prevent ANY contact with this product, such as gloves, apron
boots, or w	hole body suits. Nitrile rubber is better than PVC.
Eye / Face Protection: Wear chem	nical splash goggles
Skin Protection: Wear impe	rrvious gloves (Neoprene)
Respiratory Protection: A NIOSH/N	/ISHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain
limited circ	umstances where airborne concentrations are expected to exceed exposure limits. Protection provided by nuisance
	ic vapor dust masks can be used, however the use of the respirator is limited. Follow OSHA respirator regulations
level ordan	

Section 9: Physical and Chemical Properties

Appearance	Odor	& Odor Threshold	Specific	Gravity	,	/iscosity	%Volatile
viscous liquid	charact	eristic acrylate odor	(H20=1): 1.15		N/DA	By Volume: <7.0
Boiling Point/Freezing Point	Decomposition Temperature	Octanol/Water Partitioning Coefficient Log Po/w	Vapor Density	Evaporation Rate	Ignition	Solubilit	y In Water (20°C)
N/A	N/A	N/A	No Data	No Data	No Data		Insoluble
Flash Point (°F/ °C) Flammable Limit (vol%)				Auto-ignitio	n Temperature (vol	%)	
N/A	N/A No Data		No Data				

bility and R tion 10: 5

Stability	Incapability (Material to Avoid):
Normally Stable	Polymerization initiators including peroxides, strong oxidizing agents, copper, copper alloys, carbon steel, iron, rust
	and strong bases.
Hazardous Decomposition Products:	Hazardous Polymerization:
Fumes produced when heated to	May occur Uncontrolled polymerization may cause rapid evolution of heat and increased pressure that could
decomposition may include:	result in violent rupture of sealed storage vessels or containers.
carbon monoxide, carbon dioxide	
Conditions to Avoid:	
Storage>100°F/38°C, exposure to light, loss of dissolv	ved air, loss of polymerization, contamination with incompatible materials.

Section 11: Toxicological Information

Г				
	Acute Oral Toxicity	Acute Dermal Toxicity	Irritation - skin	Irritation - Eye
	No info available	No info available	No info available	No info available

Further hazardous properties cannot be excluded. The product should be handled with care when dealing with chemicals.

Sensitization	Mutagenicity	Sub-chronic Toxicity	
N/DA	N/DA	N/DA	

Section 12: Ecological Information

Ecotoxicological Information					
Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Bioconcentration	Toxicity to Sewage Bacteria		
No Information Available	No Information Available	No Information Available	No Information Available		
Environmental Stability:					
Chemical Fate Information					
Biodegradability	No Information Available				
Chemical Oxygen Demand	No Information Available				

To the best of our knowledge, the ecotoxocological and chemical fate properties have not been thoroughly investigated.

Do not allow to enter drinking water supplies, wastewater, or soil.

Section 13: Disposal Considerations

Waste disposal must be in accordance with appropriate Federal, State and local regulations. US. EPA Waste #: D001

Dispose of diking materials and absorbent in compliance with State, Local, and Federal regulations. Residual vapors may explode on ignition; do not cut, drill, or weld on on or near the container. Mix with compatible chemical which is less flammable and incinerate. Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member State, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Section 14: Transport Information	
DOT (49 CFR 172)	
Proper Shipping Name:	Non-Regulated Material
Identification Number:	N/A
Marine Pollutant:	No
Special Provisions:	N/A
Emergency Response Guidebook (ERG) #:	N/A
IATA (DGR):	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Packaging Instructions:	
Emergency Response Guidance (ICAO)#:	
IMO (IMDG):	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Special Provisions & Stowage/Segregation:	None
Emergency Schedule (EmS)#:	
Other Information:	Flash point >100 °C


Section 15: Regulatory Information

US Federal Regulations Clean Air Act: HAP/ODS This product contains the following hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act: NONE This product does not contain any Class I or Class 2 ODS Clean Water Act: Priority Pollutant This product contains the following Hazardous Substances as defined by the CWA: NONE This product does not contain any substances that are a Priority Pollutant or Toxic Pollutant under the CWA FDA: Food Packaging Status This product has not been cleared by the FDA for use in food packaging and /or other applications as an indirect food additive. Occupational Safety and Health Act This product is considered to be a hazardous chemical under the OSHA Hazard Communication Standard. Its hazards are • Immediate (acute) health hazard • Delayed (chronic) health hazard · Reactive hazard RCRA This product is not considered to be a hazardous waste under RCRA (40 CFR 261) SARA Reporting Requirements: SARA 304 (40 CFR Table 302.4)- Butyl Acetate, Ethyl Acetate SARA Threshold Planning Quantity: There are no specific Threshold Planning Quantities for the components of this product. TSCA Section 8(b) Inventory: This product contains chemicals listed on the TSCA inventory or otherwise complies with TSCA pre-manufacture notification requirements.

CERCLA Reportable Quantity (RQ):		
State Regulations		
CA Right-to-Know Law:		
California No Significant Risk Rule:	NONE	
MA Right-to-Know Law:	NONE	
NJ Right-to-Know Law:	NONE	
PA Right-to-Know Law:	NONE	

FL Right-to-Know Law:	NONE
MN Right-to-Know Law:	NONE
International Regulations	
CDSL: Canadian Inventory	Hydroxpropyl methacrylate CAS #27813-02-1 is on the DSL List. WHMIS = D2B
(on Canadian Transitional List)	Hyroxycyclohexyl phenyl ketone CAS# 947-19-3 is on the DSL list. WHMIS - n/da
``````````````````````````````````````	Isobornyl Methacrylate CAS# 7534-94-3 is on the DSL list. WHMIS - n/da
Section 16: Other Information	
Labeling according to EC Directives - 1999/45	/EC
European Community:	• HAZARD SYMBOLS: Xi irritant,
	• RISK PHRASES: R36/38: Irritating to eyes, respiratory system, and skin, R43: May cause sensitization by skin contact.
	SAFETY PHRASES: S24 - Avoid contact with skin; S37 - Wear suitable gloves
EU Classes and Risk / Safety Phrases for Ref	erenced Ingredients (See Section 2):
EU Classes and Risk / Safety Phrases for Ref Hazard Symbols: Xi - Irritants	erenced Ingredients (See Section 2):
Hazard Symbols: Xi - Irritants	erenced Ingredients (See Section 2):
Hazard Symbols: Xi - Irritants Risk Phrases: R36/37/38: Irritating to eyes, respiratory system	
Hazard Symbols: Xi - Irritants Risk Phrases: R36/37/38: Irritating to eyes, respiratory system R36/38: Irritating to eyes and skin	
Hazard Symbols: Xi - Irritants Risk Phrases: R36/37/38: Irritating to eyes, respiratory system R36/38: Irritating to eyes and skin R43: May cause sensitisation by skin contact	
Hazard Symbols: Xi - Irritants Risk Phrases: R36/37/38: Irritating to eyes, respiratory system R36/38: Irritating to eyes and skin R43: May cause sensitisation by skin contact Safety Phrases:	
Hazard Symbols: Xi - Irritants Risk Phrases: R36/37/38: Irritating to eyes, respiratory system R36/38: Irritating to eyes and skin R43: May cause sensitisation by skin contact Safety Phrases: S2: Keep out of the reach of children;	ind skin;
Hazard Symbols: Xi - Irritants Risk Phrases: R36/37/38: Irritating to eyes, respiratory system R36/38: Irritating to eyes and skin R43: May cause sensitisation by skin contact Safety Phrases: S2: Keep out of the reach of children; S3/7: Keep container tightly closed in a cool place	and skin;
Hazard Symbols: Xi - Irritants Risk Phrases: R36/37/38: Irritating to eyes, respiratory system - R36/38: Irritating to eyes and skin R43: May cause sensitisation by skin contact Safety Phrases: S2: Keep out of the reach of children; S3/7: Keep container tightly closed in a cool place S14: Keep away from polymerization initiators in	ind skin;
Hazard Symbols: Ki - Irritants Risk Phrases: R36/37/38: Irritating to eyes, respiratory system R36/38: Irritating to eyes and skin R43: May cause sensitisation by skin contact Safety Phrases: S2: Keep out of the reach of children; S3/7: Keep container tightly closed in a cool place S14: Keep away from polymerization initiators in S26: In case of contact with eyes, rinse immedia	and skin; e. sluding peroxides, strong oxidizing agents, copper, copper alloys, carbon steel, iron, rust and strong bases. ely with plenty of water and seek medical advice
Hazard Symbols: Xi - Irritants Risk Phrases: R36/37/38: Irritating to eyes, respiratory system R36/38: Irritating to eyes and skin R43: May cause sensitisation by skin contact Safety Phrases: S2: Keep out of the reach of children; S3/7: Keep container tightly closed in a cool plac S14: Keep away from polymerization initiators in S26: In case of contact with eyes, rinse immedia S27: Take off immediately all contaminated cloth	and skin; e. sluding peroxides, strong oxidizing agents, copper, copper alloys, carbon steel, iron, rust and strong bases. ely with plenty of water and seek medical advice ng.
Hazard Symbols: Xi - Irritants Risk Phrases: R36/37/38: Irritating to eyes, respiratory system R36/38: Irritating to eyes and skin R43: May cause sensitisation by skin contact Safety Phrases: S2: Keep out of the reach of children; S3/7: Keep container tightly closed in a cool plac S14: Keep away from polymerization initiators in S26: In case of contact with eyes, rinse immedia S27: Take off immediately all contaminated cloth S28: After contact with skin, wash immediately w S29: Do not empty into drains	and skin; e. sluding peroxides, strong oxidizing agents, copper, copper alloys, carbon steel, iron, rust and strong bases. ely with plenty of water and seek medical advice ng.
Hazard Symbols: Xi - Irritants Risk Phrases: R36/37/38: Irritating to eyes, respiratory system R36/38: Irritating to eyes and skin R43: May cause sensitisation by skin contact Safety Phrases: S2: Keep out of the reach of children; S3/7: Keep container tightly closed in a cool plac S14: Keep away from polymerization initiators in S26: In case of contact with eyes, rinse immedia S27: Take off immediately all contaminated cloth S28: After contact with skin, wash immediately w S29: Do not empty into drains S30: never add water to this product	e. Juding peroxides, strong oxidizing agents, copper, copper alloys, carbon steel, iron, rust and strong bases. ely with plenty of water and seek medical advice ing. ith plenty of soap and water for 15 minutes
Hazard Symbols: Xi - Irritants Risk Phrases: R36/37/38: Irritating to eyes, respiratory system R36/38: Irritating to eyes and skin R43: May cause sensitisation by skin contact Safety Phrases: S2: Keep out of the reach of children; S3/7: Keep container tightly closed in a cool plac S14: Keep away from polymerization initiators in S26: In case of contact with eyes, rinse immedia S27: Take off immediately all contaminated cloth S28: After contact with skin, wash immediately w S29: Do not empty into drains S30: never add water to this product S33: take precautionary measures agains static	e. suding peroxides, strong oxidizing agents, copper, copper alloys, carbon steel, iron, rust and strong bases. ely with plenty of water and seek medical advice ng. ith plenty of soap and water for 15 minutes
Hazard Symbols: Xi - Irritants Risk Phrases: R36/37/38: Irritating to eyes, respiratory system R36/38: Irritating to eyes and skin R43: May cause sensitisation by skin contact Safety Phrases: S2: Keep out of the reach of children; S3/7: Keep container tightly closed in a cool plac S14: Keep away from polymerization initiators in S26: In case of contact with eyes, rinse immedia S27: Take off immediately all contaminated cloth S28: After contact with skin, wash immediately w S29: Do not empty into drains S30: never add water to this product S33: take precautionary measures agains static S35: This material and its container must be disp	e. suding peroxides, strong oxidizing agents, copper, copper alloys, carbon steel, iron, rust and strong bases. ely with plenty of water and seek medical advice ng. ith plenty of soap and water for 15 minutes
Hazard Symbols: Xi - Irritants Risk Phrases: R36/37/38: Irritating to eyes, respiratory system R36/38: Irritating to eyes and skin R43: May cause sensitisation by skin contact Safety Phrases: S2: Keep out of the reach of children; S3/7: Keep container tightly closed in a cool plac S41: Keep away from polymerization initiators in S26: In case of contact with eyes, rinse immedia S27: Take off immediately all contaminated cloth S28: After contact with skin, wash immediately w S29: Do not empty into drains S30: never add water to this product S33: take precautionary measures agains static	e. suding peroxides, strong oxidizing agents, copper, copper alloys, carbon steel, iron, rust and strong bases. ely with plenty of water and seek medical advice ng. ith plenty of soap and water for 15 minutes tischarges osed of in a safe way

#### Hazard Rating System (Pictograms)



This information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If there are any problems or concerns understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at (1-800-535-5053).