

# Safety Data Sheet

Section 1: Identific	ation of the Substance/Preparation and of the Company/Under	rtaking		
Product Name:	VITALGEL RECOVERY - Vitamin Enriches Soak-Off Gel			
		SDS Prepared:	1/24/2013	
		SDS Updated:	6/27/2016	
		Revision:	02	
Product Use:	Cosmetics			
		Manufacture:	Hand & Nail Harmony	
			1545 Moonstone Brea,0	CA 92821
Product #:	01152	Emergency Ph Information Co		(800) 535-5053 (714) 773-9758

	EMERGENCY OVERVIEW This information is based on findings from related or similar materials.	
<ul> <li>May be slightly toxic.</li> </ul>	Ŭ	
May cause moderate skin injury (reddening & swelling).		•
<ul> <li>May cause chemical burn in eye</li> </ul>		

Primary Route of Entry	No specific information available.				
Eye	Contains materials that are essentially nonirritating, but contact may cause slight transient irritation.				
	Material may act as a Lachrymator (a substance which increases the flow of tears).				
Skin	Contains materials that may cause moderate skin injury (reddening and swelling) and/or sensitization.				
	Prolonged contact may cause blister formation (burns). Since irritation may not occur immediately, contact can go unnoticed.				
Ingestion	May cause gastrointestinal irritation with nausea, vomiting and diarrhea.				
Inhalation	May cause respiratory tract irritation with presence of monomer. Vapors may cause dizziness or suffocation.				

NOTE: Refer to Section II, Toxicological Information for Details

# Section 3: Composition/Information on Ingredients

INCI Name	CAS#	EINECS#	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
Di-HEMA Trimethylhexyl Dicarbamate*	Exempt	N/E	N/E	N/E	Not Listed	50-70
HEMA	868-77-9	212-782-2	N/E	N/E	Not Listed	10-25
Hydroxypropyl Methacrylate	27813-02-1	248-666-3	N/E	N/E	Not Listed	10-25
Isobornyl Methacrylate	7534-94-3	231-403-1	N/E	N/E	Not Listed	5-10
Trimethylolpropane Trimethacrylate	3290-92-4	221-950-4	N/E	N/E	Not Listed	3-6

N/E - None Established N/R - Not Reviewed	N/DA - No Data Available N/A - Not Applicable	* See section 16	
Polyurethane Acrylate Oligomer:	Hazard Symbol: Xi	Risk Phrases: R36/37/38	Safety Phrases: S14, S3/7, S62
2-Hydroxy ethyl methacrylate:	Hazard Symbol: Xi	Risk Phrases: R36/38, R43	Safety Phrases: S2, S26, S28
Hydroxypropyl Methacrylate:	Hazard Symbol: Xi	Risk Phrases: R11, R36//37/38, R43	Safety Phrases: S26, S36/37
Isobornyl Methacrylate	Hazard Symbol: Xi	Risk Phrases: R36/37/38/,R43	Safety Phrases: S26,S27,S28,S29,S30,S33,S35,S36
Trimethylolpropane Trimethacrylate	Hazard Symbol: Xi	Risk Phrases: R36/37/38/	Safety Phrases: S26

See Section 16 for Risk and Safety Phrase Key

# Section 4: First Aid Measures

First Aid for Eye	Flush with plenty of water for 15 minutes, occasionally lifting the upper and lower eyelids. Get medicalattention immediately
First Aid for Skin	Remove contaminated clothing and wash contact area with soap and water for 15 minutes.
First Aid for Inhalation	In case of exposure to a high concentration of vapor or mist, remove person to fresh air. If breathing has stopped, administer
	artificial respiration and seek medical attention.
First Aid for Ingestion	If appreciable quantities are swallowed seek medical attention.

# Section 5: Fire Fighting Measures

Flash Point ( °F/ °C)		Flammable Limit (vol%)	Auto-ignition Temperature (vol%)		
> 212°F/ 100 °C Setaflas	h	No Data	No Data		
Method:					
Extinguishing Media:	Use carbon di	oxide or dry chemical for small fires; aqueous foam or v	vater for large fires.		
Fire Fighting Instructions:	Remove all ignition sources. Wear self-contained breathing apparatus and complete personal protective equipment when entering				
	confined area	where potential for exposure to vapors or products of	combustion exists.		
Unusual Hazards:	High tempera	ures and fire conditions may cause rapid and uncontroll	ed polymerization which can result in explosions and the		
	violent rupture	of storage vessels or containers. Avoid the use of a st	ream of water to control fires since frothing can occur.		
Section 6: Accidental Release	e Measures				
Spill or Release Producers:	Spontaneous	polymerization can occur. Eliminate ignition sources. Us	e eye and skin protection. Place leaking containers in a well		
	•		n inert solids (such as vermiculite, clay) and sweep/shovel		
			er solution; rinse with water, but minimize water use during		
			porting spills and releases to soil, water and air in excess of		
			tional Response Center is (800) 424-8802. EU Regulations		
		nsultation of Directive 98/24/EC. Dispose and report per	regulatory requirements if necessary. Please prevent		
	washings from	entering waterways.			
Section 7: Handling and Stora	age				
Handling:	Avoid contac	with skin and eyes, and clothing. Avoid breathing vapor			
	Keep contain	er closed when not in use. Avoid prolonged exposure to	light.		
	•		ds immediately. Incinerate leather goods (including shoes).		
			bughly with soap and water after handling. Solvents should NOT		
		ecause of increased penetration potential			
			temperatures conditions to facilitate proper pouring techniques.		
	-	ous types gels such as these may required heating to f			
		this happens, product may be heated to 60°C/140°F fc			
			product. Do NOT use steam. Hot boxes or hot rooms are		
		for heating/melting material. The box and/or room show			
	Do NOT over	eat, this may compromise product effectiveness and sl	hould be avoided. Refrain from multiple reheating of product,		
	this will also d	minishing the quality of the product.			
Storage:	Product is ext	emely light sensitive. If exposed to natural light, LED, I	JVA, UVB or UV any light, material will cure very quickly.		
	Store in a coo	, dry place, away from heat and all types of light. Store	at temperatures below 100°F/38°C but above		
	the product's	reezing point. If no freezing point is given, keep above	32°F/0°C at all times.		
Explosion Hazard:	High tempera	ures and fire conditions may cause rapid and uncontroll	ed polymerization which can result in explosions and the		
	violent rupture of storage vessels or containers.				
Section 8: Exposure Controls	/ Personal	Protection			
Engineering Controls	l ocal exhaust	recommended to control exposure which may result fro	m operations generating aerosols and hot operations		
Engineering Controla			חי סיטימוטוס פרוטימוווט מטיטטוס מוע ווטג טיטרמוטוס		
Personal Protective Faviament	generating va	<i>i</i> uis.			
Personal Protective Equipment	To block the				
General:	-		ents, it is recommended that a hazard assessment in accordance		
			ard EN166 be conducted before using this product. Provide eye		
	stations and s	afety showers. Wear impervious clothing to prevent AN	Y contact with this product, such as gloves, apron, boots, or		
	whole body su	it. Nitrile rubber is better than PVC.			
Eye / Face Protection:	Wear chemica	l splash goggles.			
Skin Protection:	Ware impervi	us gloves ( Neoprene)			
Respiratory Protection:			or cartridge or canister may be permissible under certain		
			exceed exposure limits. Protection provided by nuisance		
			espirator is limited. Follow OSHA respirator regulations		
	-	R 1910.134 or European Standard EN149.	copilater to infinited. I onew Conin Teopilater regulations		
	100110 111 23 01	it ioio.iot of European Ganuaru En 143.			

# Section 9: Physical and Chemical Properties

	Odor 8	Odor Threshold	рН	Specific	Gravity	v	<b>'iscosity</b>	%Volatile	
us liquid	characte	eristic acrylate odor	NA	(H20=1)	): 1.15		N/DA	By Volur	ne: <0.5
		Octanol/Water Partitioning Coefficient Log Po/w	Vapor Pressure:	Vapor Density	Evaporation Rate	Ignition	Solubility In V	Water	(20°C)
1	J/A	N/A	(mm Hg) @ 20 C:<0.01	No Data	No Data	No Data Insoluble			
			· · /	Auto-ignition Temperature (vol%)					
	Decom Temp N	us liquid character Decomposition Temperature N/A	Decomposition Temperature         Octanol/Water Partitioning Coefficient Log Po/w           N/A         N/A           (*F/*C)         Flammat	Us liquid     characteristic acrylate odor     NA       Decomposition Temperature     Octanol/Water Partitioning Coefficient Log Po/w     Vapor Pressure:       N/A     N/A     (mm Hg) @ 20 C:<0.01	us liquid         characteristic acrylate odor         NA         (H20=1)           Decomposition Temperature         Octanol/Water Partitioning Coefficient Log Po/w         Vapor Pressure:         Vapor Density           N/A         N/A         (mm Hg) @ 20 C:<0.01	Us liquid         Characteristic acrylate odor         NA         (H20=1): 1.15           Decomposition Temperature         Octanol/Water Partitioning Coefficient Log Po/w         Vapor Pressure:         Vapor Density         Evaporation Rate           N/A         N/A         (mm Hg) @ 20 C:<0.01	Us liquid         Characteristic acrylate odor         NA         (H20=1): 1.15           Decomposition Temperature         Octanol/Water Partitioning Coefficient Log Po/w         Vapor Pressure:         Vapor Density         Evaporation Rate         Ignition           N/A         N/A         (mm Hg) @ 20 C:<0.01	Us liquid     characteristic acrylate odor     NA     (H20=1): 1.15     N/DA       Decomposition Temperature     Octanol/Water Partitioning Coefficient Log Po/w     Vapor Pressure:     Vapor Density     Evaporation Rate     Ignition     Solubility In V       N/A     N/A     (mm Hg) @ 20 C:<0.01	Us liquid     characteristic acrylate odor     NA     (H20=1): 1.15     N/DA     By Volur       Decomposition Temperature     Octanol/Water Partitioning Coefficient Log Po/w     Vapor Pressure:     Vapor Density     Evaporation Rate     Ignition     Solubility In Water       N/A     N/A     (mm Hg) @ 20 C:<0.01

# Section 10: Stability and Reactivity

Stability	Incompatibility (Material to Avoid):
Normally Stable	Polymerization initiators including peroxides, strong oxidizing agents, copper, copper alloys, carbon steel, iron, rust
	and strong bases.
Hazardous Decomposition Products:	Hazardous Polymerization:
Fumes produced when heated to	May occur Uncontrolled polymerization may cause rapid evolution of heat and increased pressure that could

### decomposition may include:

#### result in violent rupture of sealed storage vessels or containers.

carbon monoxide, carbon dioxide

### Conditions to Avoid:

Storage>100°F/38°C, exposure to light, loss of dissolved air, loss of polymerization, contamination with incompatible materials.

# Section 11: Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - skin	Irritation - Eye				
No information available	No information available	No information available	No information available	No information available				
Since this product contains a very low concentration of active components, the primary toxicological information is derived from oligomers. Further hazardous properties cannot be excluded. The product should be handled with care when dealing with chemicals.								

Sensitization	Mutagenicity	Sub-chronic Toxicity
No Data Available	No Data Available	No Data Available

### Section 12: Ecological Information

### **Ecotoxicological Information**

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	oxicity to Invertebrates Acute Toxicity to Algae		Toxicity to Sewage Bacteria
No Data Available	No Data Available	No Data Available	No Data Available	No Data Available

#### **Chemical Fate Information**

Biodegradability	No Data Available
Chemical Oxygen Demand	No Data Available
To the best of our knowledge, the ecotoxocological and chemical fate properties have not been thoroughly investigated	

Do not allow to enter drinking water supplies, wastewater, or soil.

### Section 13: Disposal Considerations

Non- Contaminated, properly inhibited product is not a RCRA hazardous waste. It is regulators responsibility to determinate what is classified as a hazardous waste. Comply with all federal, state and local regulations.

Dispose of diking materials and absorbent in compliance with State, Local, and Federal regulations. Residual vapors may explode on ignition; do not cut, drill, or weld on on or near the container. Mix with compatible chemical which is less flammable and incinerate.

# Section 14: Transport Information

DOT (49 CFR 172)	
Proper Shipping Name:	Non-Regulated Material
Identification Number:	N/A
Marine Pollutant:	No
Special Provisions:	N/A
Emergency Response Guidebook (ERG) #:	N/A
IATA (DGR):	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Packaging Instructions:	
Emergency Response Guidance (ICAO)#:	
IMO (IMDG):	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Special Provisions & Stowage/Segregation:	None
Emergency Schedule (EmS)#:	
Other Information:	Flash point > 100°C

# Section 15: Regulatory Information

US Federal Regulations
Clean Air Act: HAR/ODS

Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act:
	NONE
	This product contains no ODS
Clean Water Act: Priority Pollutant	
	This product does not contain any substances that are a Priority Pollutant or Toxic Pollutant under the CWA
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and /or other applications as an indirect food additive.
Occupational Safety and Health Act	This product is considered to be a hazardous chemical under the OSHA Hazard Communication Standard. Its hazards are:
	Immediate (acute) health hazard
	Delayed (chronic) health hazard
	Reactive hazard
RCRA	This product is not considered to be a hazardous waste under RCRA (40 CFR 261)
SARA Title III: Section 302 (TPQ)	This product contains no chemicals regulated under Sec. 302 as extremely hazardous substances that carry a TPQ.
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 304 as extremely hazardous chemicals for emergency
	release notification ("CERCLA" List).

SARA Title III: Section 311-312:	This product is considered hazardous under the OSHA Hazard Communication Standard and is regulated under
	Section 311-312 (40 CFR 370). Its hazards are:
	Immediate (acute) health hazard
	Delayed (chronic) health hazard
	Reactive hazard
SARA Title III: Section 313:	This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the
	Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:
	NONE
TSCA Section 8(b) Inventory:	This product contains chemicals listed on the TSCA inventory or otherwise complies with TSCA premanufacture
	notification requirements.
TSCA Significant New Use Rule:	None of the chemicals in this material have a SNUR under TSCA.

### State Regulations

CA Right-to-Know Law:	NONE
California No Significant Risk Rule:	NONE
MA Right-to-Know Law:	NONE
NJ Right-to-Know Law:	NONE
PA Right-to-Know Law:	NONE
FL Right-to-Know Law:	NONE
MN Right-to-Know Law:	NONE

## International Regulations

CDSL: Canadian Inventory	Hydroxypropyl methacrylate CAS #27813-02-1 is on the DSL List. WHMIS = D2B.
	Hydroxycyclohexyl phenyl ketone CAS #947-19-3 is on the DSL List. WHMIS = n/da
	2-Hydroxyethyl methacrylate CAS# 868-77-9 is on the DSL List. WHMIS = n/da
	Isobornyl Methacrylate CAS# 7534-94-3 is on the DSL List. WHMIS= n/da
	Trimethylolpropane Trimethacrylate esters CAS # 3290-92-4 is on DSL List. WHMIS= n/da

### Labeling according to EC Directives - 1999/45/EC

European Community:	Vitagel
	HAZARD SYMBOLS: Xi: Irritant
	RISK PHRASES: R22: Harmful if swallowed, R36/38: Irritating to eyes, respiratory system, and skin, R43: May
	cause sensitization by skin contact.
	SAFETY PHRASES: S18: Handle and open container with care, S24/25: avoid contact with skin and eyes, S36/37:
	Wear suitable protective clothing and gloves, S38: in case of insufficient ventilation, wear suitable respiratory
V	equipment.

EU Classes and Risk / Safety Phrases for Referenced Ingredients (See Section 2):

Hazard Symbols:

Xi - Irritants


### Risk Phrases:

R36/37/38 Irritating to eyes, respiratory system and skin; R36/38 Irritating to eyes and skin; R43 May cause sensitization by skin contact

#### Safety Phrases:

S2 Keep out of reach of children; S3/7 Keep container tightly closed in a cool place; S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice; S27 Take off immediately all contaminated clothing; S28 After contact with skin, wash immediately with plenty of water; S29 Do not empty into drains; S30 Never add water to this product; S33 Take precautionary measures against static discharges; S35 This material and its container must be disposed of in a safe way; S36 Wear suitable protective clothing; S62 If swallowed, do not induce vomiting; seek medical advice immediately and show the container or label; 36/37 Wear suitable protective clothing and gloves; S62 If swallowed, do not induce vomiting; seek medical advice immediately and show the container or label.

### Section 16: Other Information



This information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If there are any problems or concerns understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at (1-800-535-5053).